Pain, 57 (1994) 393–395
© 1994 Elsevier Science B.V. All rights reserved 0304-3959/94/$07.00

Author Index to Volume 57 (1994)

Abbadie, C. and Besson, J.-M.
Chronic treatments with aspirin or acetaminophen reduce both the development of polyarthritis and Fos-like immunoreactivity in rat lumbar spinal cord (57) 45
Abbattista, A., see De Conno, F. (57) 161
Ålund, M., see Larsson, S.-E. (57) 173
Asmussen, K., see Manniche, C. (57) 317

Babul, N. and Darke, A.C.
Reliability and accuracy of memory for acute pain (57) 129
Bardin, M., see Courteix, C. (57) 153
Basler, H.-D., see Herda, C.A. (57) 85
Bennett, G.J., see Tal, M. (57) 375
Berge, O.-G. and Tjølsen, A.
Tail-flicks, temperatures and latencies: comments on Lichtman et al., PAIN, 55 (1993) 283–295 (57) 256
Berger, F., see Miampamba, M. (57) 327
Berggren, L., see Rawal, N. (57) 117
Besson, J.-M., see Abbadie, C. (57) 45
Björkman, R., Hallman, K.M., Hedner, J., Hedner, T. and Henning, M.
Acetaminophen blocks spinal hyperalgesia induced by NMDA and substance P (57) 259
Bonicalzi, V., see Canavero, S. (57) 129
Breivik, H., see Warncke, T. (57) 109
Bruehl, S., see McCubbin, J.A. (57) 63
Brunelli, C., see De Conno, F. (57) 161

Cai, H., see Larsson, S.-E. (57) 173
Canavero, S., Pagni, C.A., Castellano, G. and Bonicalzi, V.
SPECT and central pain (57) 129
Caraceni, A., see De Conno, F. (57) 161
Carlson, J., see Dalton, J.A. (57) 95
Carlson, S., see Pertovaara, A. (57) 207
Carosella, A.M., Lackner, J.M. and Feuerstein, M.
Factors associated with early discharge from a multidisciplinary work rehabilitation program for chronic low back pain (57) 69
Castellano, G., see Canavero, S. (57) 129
Chantelauze, C., see Courteix, C. (57) 153
Chayvialle, J.-A., see Miampamba, M. (57) 327
Chen, A.C.N.
New brain imagings and statistical caution: a reply to Canavero et al. (57) 129
Chéry-Croze, S., see Miampamba, M. (57) 327
Cleland, C.L., Lim, F.-Y. and Gebhart, G.F.
Pentobarbital prevents the development of C-fiber-induced hyperalgesia in the rat (57) 31
Courteix, C., Bardin, M., Chantelauze, C., Lavarenne, J. and Eschalier, A.
Study of the sensitivity of the diabetes-induced pain model in rats to a range of analgesics (57) 153
Craft, R.M. and Porreca, F.
Tetracaine attenuates irritancy without attenuating desensitization produced by intravesical resiniferatoxin in the rat (57) 351
Crombie, I.K., Davies, H.T.O. and Macrae, W.A.
The epidemiology of chronic pain: time for new directions (57) 1
Crul, B.J.P., see Van Dongen, R.T.M. (57) 255
Curry, P.D., Pacsoo, C. and Heap, D.G.
Patient-controlled epidural analgesia in obstetric anaesthetic practice (57) 125

Dalton, J.A., Feuerstein, M., Carlson, J. and Roghman, K.
Biobehavioral pain profile: development and psychometric properties (57) 95
Darke, A.C., see Babul, N. (57) 129
Davies, H.T.O., see Crombie, I.K. (57) 1
De Conno, F., Caraceni, A., Gamba, A., Mariani, L., Abbattista, A., Brunelli, C., La Mura, A. and Ventafridda, V.
Pain measurement in cancer patients: a comparison of six methods (57) 161
De Leon-Casasola, O.A. and Lema, M.J.
Reply to M. Visentin (57) 129
Delisle, D., see Plaghki, L. (57) 181
Dellemijn, P.L.I. and Fields, H.L.
Do benzodiazepines have a role in chronic pain management? (57) 137
Desmeules, J., see Lee, S.H. (57) 233
Dong, W.K., see Roberts, V.J. (57) 341
Dworkin, S.F., see Wilson, L. (57) 55

Eschalier, A., see Courteix, C. (57) 153

Feuerstein, M., see Carosella, A.M. (57) 69
Feuerstein, M., see Dalton, J.A. (57) 95
Fields, H.L., see Dellemijn, P.L.I. (57) 137
Fujita, Y.
Reply to Drs. van Dongen and Crul (57) 255

Gamba, A., see De Conno, F. (57) 161
Gamberale, F., see Jensen, I. (57) 167
Gamsa, A.
The role of psychological factors in chronic pain. I. A half century of study (57) 5
Gamsa, A.
The role of psychological factors in chronic pain. II. A critical appraisal (57) 17
Gebhart, G.F., see Cleland, C.L. (57) 31
Gedaly-Duff, V. and Ziebarth, D.
Mothers' management of adenoid-tonsillectomy pain in 4- to 8-year-olds: a preliminary study (57) 293
Gentle, M.J. and Thorp, B.H.
Sensory properties of ankle joint capsule mechanoreceptors in acute monoarthritic chickens (57) 361
Godfraind, J.M., see Plaghki, L. (57) 181
Goldie, I., see Jensen, I. (57) 167
Gorry, F., see Miampamba, M. (57) 327
Groen, G.J., see Stolker, R.J. (57) 241

Guilbaud, G., see Lee, S.H. (57) 233
Gwadry, F.G., see Swartzman, L.C. (57) 311

Hallman, K.M., see Björkman, R. (57) 259
Hämäläinen, M.M., see Pertovaara, A. (57) 207
Han, M., see North, R.B. (57) 77
Härkäpää, K., Järvikoski, A., Mellin, G. and Hurri, H.
Even hindsight is not always exact enough (57) 253
Hayaishi, O., see Minami, T. (57) 217
Hayaishi, O., see Minami, T. (57) 225
Heap, D.G., see Curry, P.D. (57) 125
Hedner, J., see Björkman, R. (57) 259
Hedner, T., see Björkman, R. (57) 259
Henning, M., see Björkman, R. (57) 259
Herda, C.A., Siegeris, K. and Basler, H.-D.
The Pain Beliefs and Perceptions Inventory: further evidence for a 4-factor structure (57) 85
Horiguchi, S., see Minami, T. (57) 217
Hurri, H., see Härkäpää, K. (57) 253
Hyodo, M., see Minami, T. (57) 217
Hyodo, M., see Minami, T. (57) 225

Ito, S., see Minami, T. (57) 217
Ito, S., see Minami, T. (57) 225

Jamison, R.N., Rudy, T.E., Penzien, D.B. and Mosley, Jr., T.H.
Cognitive-behavioral classifications of chronic pain: replication and extension of empirically derived patient profiles (57) 277
Järvikoski, A., see Härkäpää, K. (57) 253
Jensen, I., Nygren, Å., Gamberale, F., Goldie, I. and Westerholm, P.
Coping with long-term musculoskeletal pain and its consequences: is gender a factor? (57) 167
Jensen, M.P., Turner, J.A., Romano, J.M. and Lawler, B.K.
Relationship of pain-specific beliefs to chronic pain adjustment (57) 301
Jordan, A., see Manniche, C. (57) 317

Katsikitis, M., see Pilowsky, I. (57) 91
Kauppila, T., see Pertovaara, A. (57) 207
Kayser, V., see Lee, S.H. (57) 233
Kidd, D.H., see North, R.B. (57) 77
Kreiner, S., see Manniche, C. (57) 317

Lackner, J.M., see Carosella, A.M. (57) 69
La Mura, A., see De Conno, F. (57) 161
Larsson, S.-E., Ålund, M., Cai, H. and Öberg, P.Å.
Chronic pain after soft-tissue injury of the cervical spine: trapezius muscle blood flow and electromyography at static loads and fatigue (57) 173
Lauritsen, B., see Manniche, C. (57) 317
Lavarenne, J., see Courteix, C. (57) 153
Lawler, B.K., see Jensen, M.P. (57) 301
Lee, S.H., Kayser, V., Desmeules, J. and Guilbaud, G.
Differential action of morphine and various opioid agonists on thermal allodynia and hyperalgesia in mononeuropathic rats (57) 233
Lema, M.J., see De Leon-Casasola, O.A. (57) 129
LeResche, L., see Wilson, L. (57) 55
Lichtman, A.H. and Martin, B.R.
Changes in tail skin temperature are unlikely to be a confounding factor in the tail-flick test (57) 258
Lim, F.-Y., see Cleland, C.L. (57) 31

Macrae, W.A., see Crombie, I.K. (57) 1
Maixner, W., see Sigurdsson, A. (57) 265
Manniche, C., Asmussen, K., Lauritsen, B., Vinterberg, H., Kreiner, S. and Jordan, A.
Low Back Pain Rating scale: validation of a tool for assessment of low back pain (57) 317
Maresca, M., see Procacci, P. (57) 254
Mariani, L., see De Conno, F. (57) 161
Martin, B.R., see Lichtman, A.H. (57) 258
McCubbin, J.A. and Bruehl, S.
Do endogenous opioids mediate the relationship between blood pressure and pain sensitivity in normotensives? (57) 63
McMahon, S.B., see Rice, A.S.C. (57) 335
Mecke, E., see Pertovaara, A. (57) 207
Mellin, G., see Härkäpää, K. (57) 253
Miampamba, M., Chéry-Croze, S., Gorry, F., Berger, F. and Chayvialle, J.-A.
Inflammation of the colonic wall induced by formalin as a model of acute visceral pain (57) 327
Minami, T., Nishihara, I., Uda, R., Ito, S., Hyodo, M. and Hayaishi, O.
Involvement of glutamate receptors in allodynia induced by prostaglandins E_2 and $F_{2\alpha}$ injected into conscious mice (57) 225
Minami, T., Uda, R., Horiguchi, S., Ito, S., Hyodo, M. and Hayaishi, O.
Allodynia evoked by intrathecal administration of prostaglandin E_2 to conscious mice (57) 217
Morley, S.J.
Reliability and accuracy of memory for pain (57) 129
Mosley, Jr., T.H., see Jamison, R.N. (57) 277

Nishihara, I., see Minami, T. (57) 225
North, R.B., Han, M., Zahurak, M. and Kidd, D.H.
Radiofrequency lumbar facet denervation: analysis of prognostic factors (57) 77
Nygren, Å., see Jensen, I. (57) 167

Öberg, P.Å., see Larsson, S.-E. (57) 173
Oliveira, M.A. and Prado, W.A.
Antinociception and behavioral manifestations induced by intracerebroventricular or intra-amygdaloid administration of cholinergic agonists in the rat (57) 385

Pacsoo, C., see Curry, P.D. (57) 125
Pagni, C.A., see Canavero, S. (57) 129
Penzien, D.B., see Jamison, R.N. (57) 277
Pertovaara, A., Hämäläinen, M.M., Kauppila, T., Mecke, E. and Carlson, S.
Dissociation of the α_2-adrenergic antinociception from sedation following microinjection of medetomidine into the locus coeruleus in rats (57) 207
Pilowsky, I. and Katsikitis, M.
A classification of illness behaviour in pain clinic patients (57) 91
Plaghki, L., Delisle, D. and Godfraind, J.M.
Heterotopic nociceptive conditioning stimuli and mental task modulate differently the perception and physiological correlates of short CO_2 laser stimuli (57) 181
Porreca, F., see Craft, R.M. (57) 351
Prado, W.A., see Oliveira, M.A. (57) 385
Procacci, P. and Maresca, M.
Central pain and deafferentiation pain: a controversial point (57) 254

Ramos, L.M.P., see Stolker, R.J. (57) 241
Rawal, N. and Berggren, L.
Organization of acute pain services: a low-cost model (57) 117
Rice, A.S.C. and McMahon, S.B.
Pre-emptive intrathecal administration of an NMDA receptor antagonist (AP-5) prevents hyper-reflexia in a model of persistent visceral pain (57) 335

Roberts, V.J. and Dong, W.K.
The effect of thalamic nucleus submedius lesions on nociceptive responding in rats (57) 341
Roghman, K., see Dalton, J.A. (57) 95
Romano, J.M., see Jensen, M.P. (57) 301
Rudy, T.E., see Jamison, R.N. (57) 277

Shapiro, A.P., see Swartzman, L.C. (57) 311
Siegeris, K., see Herda, C.A. (57) 85
Sigurdsson, A. and Maixner, W.
Effects of experimental and clinical noxious counterirritants on pain perception (57) 265
Stolker, R.J., Vervest, A.C.M., Ramos, L.M.P. and Groen, G.J.
Electrode positioning in thoracic percutaneous partial rhizotomy: an anatomical study (57) 241
Swartzman, L.C., Gwadry, F.G., Shapiro, A.P. and Teasell, R.W.
The factor structure of the Coping Strategies Questionnaire (57) 311

Tal, M. and Bennett, G.J.
Extra-territorial pain in rats with a peripheral mononeuropathy: mechano-hyperalgesia and mechano-allodynia in the territory of an uninjured nerve (57) 375
Teasell, R.W., see Swartzman, L.C. (57) 311
Thorp, B.H., see Gentle, M.J. (57) 361
Tjølsen, A., see Berge, O.-G. (57) 256
Tortorici, V. and Vanegas, H.
Putative role of medullary off- and on-cells in the antinociception produced by dipyrone (metamizol) administered systemically or microinjected into PAG (57) 197
Turner, J.A., see Jensen, M.P. (57) 301

Uda, R., see Minami, T. (57) 217
Uda, R., see Minami, T. (57) 225

Vainio, A., see Warncke, T. (57) 109
Van Dongen, R.T.M. and Crul, B.J.P.
Comments on Y. Fujita, *PAIN*, 55 (1993) 363–366 (57) 255
Vanegas, H., see Tortorici, V. (57) 197
Ventafridda, V., see De Conno, F. (57) 161
Vervest, A.C.M., see Stolker, R.J. (57) 241
Vinterberg, H., see Manniche, C. (57) 317
Visentin, M.
Comments on De Leon-Casasola et al., Pain, 54 (1993) 145–151 (57) 129

Warncke, T., Breivik, H. and Vainio, A.
Treatment of cancer pain in Norway. A questionnaire study (57) 109
Westerholm, P., see Jensen, I. (57) 167
Whitney, C., see Wilson, L. (57) 55
Wiesenfeld-Hallin, Z., see Xu, X.-J. (57) 193
Wilson, L., Dworkin, S.F., Whitney, C. and LeResche, L.
Somatization and pain dispersion in chronic temporomandibular disorder pain (57) 55

Xu, X.-J. and Wiesenfeld-Hallin, Z.
Is systemically administered oxytocin an analgesic in rats? (57) 193

Zahurak, M., see North, R.B. (57) 77
Ziebarth, D., see Gedaly-Duff, V. (57) 293